

Publications

Scientific Journals

1979

1. LINDER, H.P. & CAMPBELL, B.M. Towards a structural- functional classification of fynbos: a comparison of methods. *Bothalia* 12: 723-729.

1980

2. LINDER, H.P. *Disa cardinalis* Linder (Orchidaceae), a new species from the Cape Province. *Journal of South African Botany* 46: 213-215.
3. LINDER, H.P. An annotated revision of the genus *Schizochilus* Sond. (Orchidaceae). *Journal of South African Botany* 46: 379-434.
4. LINDER, H.P., STREUBEL, P.M. & CROWE, T.M. Island biogeography and the *Acacia* clumps at the Nxai Pan, Botswana. *Botswana Notes and Records* 12: 170-173.

1981

5. LINDER, H.P. Taxonomic studies on the Disinae: I. A revision of the genus *Brownleea* Lindl. *Journal of South African Botany* 47: 13-48.
6. LINDER, H.P. Taxonomic studies on the Disinae: II. A revision of the genus *Schizodium* Lindl. *Journal of South African Botany* 47: 339-371.
7. LINDER, H.P. Taxonomic studies on the Disinae: III. A revision of *Disa* Berg. excluding sect. *Micranthae* Lindl. *Contributions from the Bolus Herbarium* 9: 1- 270.
8. LINDER, H.P. Taxonomic studies on the Disinae. IV. A revision of the genus *Monadenia* Lindl. *Bothalia* 13: 339-363.
9. LINDER, H.P. Taxonomic studies on the Disinae. V. A revision of the genus *Herschelia* Lindl. *Bothalia* 13: 365-388.
10. LINDER, H.P. Taxonomic studies on the Disinae. VI. A revision of *Disa* Berg. sect. *Micranthae* Lindl. *Bulletin du Jardin Botanique National de Belgique* 51: 255-346.
11. LINDER, H.P. *Disa pulchra*. *Flowering Plants of Africa* 46 t 1824.
12. LINDER, H.P. *Disa aristata*. *Flowering Plants of Africa* 46 t 1825.
13. LINDER, H.P. *Disa cardinalis*. *Flowering Plants of Africa* 46 t 1826.
14. LINDER, H.P. *Distributiones Plantarum Africanarum* 22, figs. 727-751.

1982

15. LINDER, H.P. The orchids of the Cape Floral Region. In J. Stewart and C.N. van der Merwe (eds.), *Proceedings of the 10th World Orchid Conference*, p. 59-63.

1983

16. OLIVER, E.G.H., LINDER, H.P. & ROURKE, J.P. Geographical distribution of present-day Cape taxa and their phytogeographical significance. *Bothalia* 14: 427-440.
17. LINDER, H.P. The historical phytogeography of the Disinae (Orchidaceae). *Bothalia* 14: 565-570.

1984

18. WESTMAN, W.E., BOUCHER, C., CAMPBELL, B.M., COWLING, R.M., LAMONT, B., LINDER, H.P., NOBLE, R.G. & VAN WILGEN, B.W. The structure and dynamics of plant communities. In: J. Day (ed.), *Mineral nutrients in mediterranean ecosystems*. South African National Scientific Programmes Report 53:77-89. CSIR, Pretoria.
19. TILMAN, D., BOND, W.J., CAMPBELL, B.M., KRUGER, F.J., LINDER, H.P., SCHOLTZ, A., TAYLOR, H.C. & WITTER, M. Origin and maintenance of plant species diversity. In: J. Day (ed.), *Mineral nutrients in mediterranean ecosystems*. South African national Scientific Programmes Report 53: 125 -135. CSIR, Pretoria.
20. LINDER, H.P. A new species of *Disa* (Orchidaceae). *Journal of South African Botany* 50: 261-263.

21. LINDER, H.P. A phylogenetic classification of the genera of the African Restionaceae. *Bothalia* 15: 11- 76.

1985

22. LINDER, H.P. Gene flow, speciation and species diversity patterns in a species rich area; the Cape Flora. In E.S. Vrba (ed.), *Species and Speciation*. Transvaal Museum Monograph 4, p. 53-57.
23. HARBORNE, J.B., BOARDLEY, M. & LINDER, H.P. Variations in flavonoid patterns within the genus *Chondropetalum* (Restionaceae). *Phytochemistry* 24: 273-278.
24. LINDER, H.P. Notes on the orchids of southern tropical Africa. I. *Brownleea* and *Herschelia*. *Kew Bulletin* 40: 125-129.
25. LINDER, H.P. Conspectus of the African species of Restionaceae. *Bothalia* 15: 387-504.
26. LINDER, H.P. & FERGUSON, I.K. On the pollen morphology and phylogeny of the Restionales and Poales. *Grana* 24: 65-76.

1986

27. LINDER, H.P. A review of the tropical African and Malgasy Restionaceae. *Kew Bulletin* 41: 99-106.
28. LINDER, H.P. Notes on the phylogeny of the Orchidoideae, with particular reference to the Disinae. *Lindleyana* 1: 51-64.
29. LINDER, H.P. Notes on the Disinae for the Flora of Southern Africa. *Bothalia* 16: 56-57.
30. LINDER, H.P. Diverse notes on Southern African Pooids. *Bothalia* 16: 59-61.
31. LINDER, H.P. & WILLIAMSON, G. Notes on the orchids of southern tropical Africa. II. *Oligophyton drummondii*, gen. et sp. nov. *Kew Bulletin* 41: 313-317.

1987

32. LINDER, H.P. The evolutionary history of the Poales/Restionales - a hypothesis. *Kew Bulletin* 42:297-318.

1988

33. LINDER, H.P. A review of cladistics for botanists. *South African Journal of Botany* 54:208-220.
34. LINDER, H.P. *Herschelianthe lugens* var. *nigrescens*. *Flowering Plants of Africa* 50:t.1977.
35. LINDER, H.P. Taxonomic notes on some orchids from the south-western Cape Province, South Africa. *South African Journal of Botany* 54:496-500.
36. RUDALL, P.J. & LINDER, H.P. Megagametophyte and nucellus in Restionaceae and Flagellariaceae. *American Journal of Botany* 75:1777-1786.

1989

37. LINDER, H.P. *Satyridium rostratum*. *Flowering Plants of Africa* 50 t.1993.
38. LINDER, H.P. Notes on southern African Angraecoid orchids. *Kew Bulletin*. 44: 317-319.
39. LINDER, H.P. Grasses in the Cape Floristic Region: phytogeographical implications. *South African Journal of Science* 85:502-505.
40. MEADOWS, M.E. & LINDER, H.P. A reassessment of the biogeography and vegetation history of the southern Afromontane Region. In C.J. Geldenhuys (ed.), *Biogeography of the mixed evergreen forests of southern Africa*, pp. 15-29. Ecosystems Programmes, occasional report 45, Pretoria.
41. LINDER, H.P. Herb communities on the forest floor. In A.C. Hamilton and R. Bensted-Smith (eds.), *Forest conservation in the East Usambara Mountains, Tanzania*, pp 255-268. IUCN Tropical Forest Programme.

1990

42. LINDER, H.P. & ELLIS, R.P. A revision of *Pentaschistis* (Arundineae: Poaceae). *Contributions from the Bolus Herbarium* 12:1-124.
43. LINDER, H.P. & KURZWEIL, H. Floral morphology and phylogeny of the *Disinae* (Orchidaceae). *Botanical Journal of the Linnean Society* 102: 287-302.
44. MANNING, J.C. & LINDER, H.P. A cladistic analysis of patterns of endothelial thickenings in the Poales/Restionales. *American Journal of Botany* 77:196-210.
45. LINDER, H.P. & ELLIS, R.P. *Pentaschistis*. In Gibbs Russell et al., Grasses of Southern Africa. *Memoirs of the Botanical Survey of South Africa* 58: 253-265.
46. LINDER, H.P. & ELLIS, R.P. Vegetative morphology and interfire survival strategies in the Cape Fynbos grasses. *Bothalia* 20:91-103.
47. LINDER, H.P. New species of African Restionaceae. *South African Journal of Botany* 56: 450-457.
48. LINDER, H.P. A morphological study on the *Thamnochortus erectus* complex (Restionaceae). *South African Journal of Botany* 56: 443-449.
49. LINDER, H.P. On the relationship between the vegetation and the floras of the Afromontane and the Cape Regions of Africa. *Mitteilungen der Institut für Allgemeine Botanik Hamburg* 23b: 777-790.
50. LINDER, H.P., THOMPSON, J.F., ELLIS, R.P. & PEROLD, S.M. The occurrence, anatomy and systematic implications of the glands in *Pentaschistis* and *Prionanthium* (Poaceae - Arundinoideae - Arundineae). *Botanical Gazette* 151: 221-233.
51. BONNEFILLE, R., HAMILTON, A.C., LINDER, H.P. & RIOLLET, G. 30000-year-old fossil Restionaceae pollen from Central Equatorial Africa and its biogeographical significance. *Journal of Biogeography* 17:307-314.
52. LINDER, H.P. Notes on a rare Cape *Disa*. *Bothalia* 20,2: 216-217.
53. BALFOUR, D.A. & LINDER, H.P. Morphological variation in populations of *Disa uniflora* (Disaceae: Orchidaceae) in the southwestern Cape, South Africa. *Canadian Journal of Botany* 68: 2361-2370
54. LINDER, H.P. Hybrids in *Disa* (Disaceae-Orchidoideae). *Lindleyana* 5: 224-233.

1991

55. LINDER, H.P. *Aira praecox*, a new record from southern Africa. *Bothalia* 21: 55.
56. LINDER, H.P. & VLOK, J.H. The morphology, taxonomy and evolution of *Rhodocoma* (Restionaceae). *Plant Systematics and Evolution* 175: 139-160.
57. KURZWEIL, H., LINDER, H.P. & CHESSELET, P. The phylogeny and evolution of the *Pterygodium-Corycium* complex (Coryciinae, Orchidaceae). *Plant Systematics and Evolution* 175: 161-223
58. LINDER, H.P. A review of the Southern African Restionaceae. *Contributions from the Bolus Herbarium* 13: 209-264.
59. LINDER, H.P. Confidence limits in phylogenies: an example from the African Restionaceae. *Taxon* 40: 253-266.
60. LINDER, H.P. *Pentaschistis pseudopallescens*. *Flowering Plants of Africa* 51 pl.2040.
61. LINDER, H.P. *Pentaschistis rosea* ssp. *rosea*. *Flowering Plants of Africa* 51 pl.2039.
62. LINDER, H.P. Environmental correlates of patterns of species richness in the southwestern Cape Province of South Africa. *Journal of Biogeography* 18: 509-518
63. KURZWEIL, H. & LINDER, H.P. A comparative study of the floral morphology in the genus *Disperis* (Orchidaceae). *Beiträge zur Biologie der Pflanzen* 66: 433-477.

1992

64. ELLIS, R.P. & LINDER, H.P. Atlas of the leaf anatomy in *Pentaschistis*. *Memoirs of the Botanical Survey of South Africa* 60:1-314.
65. MANNING, J.C. & LINDER, H.P. Pollinators and evolution in *Disperis* (Orchidaceae), or why are there so many species? *South African Journal of Science* 88: 38-49.
66. HONIG, M.A., LINDER, H.P. & BOND, W.J. Efficacy of wind pollination: pollen load size and natural microgametophyte populations in wind pollinated *Staberoha banksii*. *American Journal of Botany* 79:443-448.

67. LINDER, H.P. The structure and evolution of the female flower of the African Restionaceae. *Botanical Journal of the Linnean Society* 109: 401-425.
68. HELME, N.A. & LINDER, H.P. Morphology, evolution and taxonomy of *Wachendorfia* (Haemodoraceae). *Bothalia* 22: 59-75.
69. LINDER, H.P. The gynoecea of Australian Restionaceae: morphology, anatomy and systematic implications. *Australian Systematic Botany* 5: 227-245.
70. LINDER, H.P., MEADOWS, M.E. & COWLING, R.M. History of the Cape Flora. In R.M. Cowling (ed.), *The ecology of Fynbos: nutrients, fire and diversity*, pp. 113-134. Oxford University Press.

1993

71. CHESSELET, P. & LINDER, H.P. Pollen morphology of the Diseae (Orchidoideae; Orchidaceae). *Grana* 32: 101-110.
72. LINDER, H.P. Do cladists live in a fool's paradise? A critique of Hall's unifying theory for methods of systematic analysis. *South African Journal of Science* 89: 211-214.
73. LINDER, H.P., VLOK, J. H., McDONALD, D. J., OLIVER, E.G.H., BOUCHER, C., VAN WYK, B-E & SCHUTTE, A. The high-altitude flora and vegetation of the Cape Flora, South Africa. *Opera Botanica* 121: 247-261.
74. MEADOWS, M.E. & LINDER, H.P. A palaeoecological perspective on the origin of Afromontane grasslands. *Journal of Biogeography* 20: 345-355.
75. LINDER, H. P. & RUDALL, P. J. The megagametophyte in *Anarthria* (Anarthriaceae, Poales) and its implications for the phylogeny of the Poales. *American Journal of Botany* 80: 1455-1464.

1994

76. LINDER, H. P. & MIDGLEY, J. J. Taxonomic diversity: what does it mean? *South African Journal of Science* 90: 329-333.
77. LINDER, H. P. & KURZWEIL, H. The phylogeny and classification of the Diseae (Orchidoideae: Orchidaceae). *Annals of the Missouri Botanical Garden* 81: 687-713.
78. LINDER, H. P. A proposed index of biodiversity. *Strelitzia* 1: 211-220.
79. LINDER, H. P. Afrotropical phytogeography: implications of cladistic biogeographical analyses. J.H. Seyani & A.C. Chikuni (eds.), *Proceedings of the XIIIth Plenary Meeting AETFAT, Malawi*, 2: 913-930.
80. SPIES, J.J., LINDER, H.P., LABUSCHAGNE, I.F. & DU PLESSIS, H. Cytogenetic evidence for the species delimitation of *Pentaschistis airoides* and *P. patula* (Poaceae: Arundineae). J.H. Seyani & A.C. Chikuni (eds.), *Proceedings of the XIIIth Plenary Meeting AETFAT, Malawi*, 1: 373-383.
81. MIDGLEY, G. F., MIDGLEY, J. J., BOND, W. J. & LINDER, H. P. C3 mistletoes on CAM hosts: an ecophysiological perspective on an unusual combination. *South African Journal of Science* 90: 482-485.
82. VERBOOM, G. A., LINDER, H. P. & BARKER, N. P. Haustorial synergids: an important character in the systematics of Danthonoid grasses (Arundinoideae: Poaceae). *American Journal of Botany* 81:1601-1610.

1995

83. LINDER, H.P. & WALSH, N.G. A new species of *Rytidosperma* (Poaceae: Arundinae) in New South Wales and Victoria. *Muelleria* 8: 283-285.
84. LINDER, H. P. Setting conservation priorities: the importance of endemism and phylogeny in the southern African orchid genus *Herschelia*. *Conservation Biology* 9: 585-595.
85. KELLOGG, E. A. & LINDER, H. P. Phylogeny of the Poales. In P. J. Rudall, P. J. Cribb, D. F. Cutler, & C. J. Humphries (eds.). *Monocotyledons: systematics and evolution*. Royal Botanic Gardens, Kew.
86. LINDER, H. P. & KELLOGG, E. A. Phylogenetic patterns in the commelinid clade. In P. J. Rudall, P. J. Cribb, D. F. Cutler, & C. J. Humphries (eds.). *Monocotyledons: systematics and evolution*, pp 473-496. Royal Botanic Gardens, Kew.

87. LINDER, H. P. *Ceratocaryum pulchrum*, a new restioid from the Bredasdorp plains. *South African Journal of Botany* 61: 222-225.
88. LINDER, H. P. & KURZWEIL, H. Taxonomic notes on the African Orchidoideae (Orchidaceae): a new genus and combination. *Willdenowia* 25: 229-234.
89. KURZWEIL, H., LINDER, H.P., STERN, W.L. & PRIDGEON, A.M. Comparative vegetative anatomy and classification of Disae (Orchidaceae). *Botanical Journal of the Linnean Society* 117: 171-220.
90. LINDER, H. P. *Restio mlanjiensis*, a new species of Restionaceae from South-central Africa. *Kew Bulletin* 50:623-625.
91. JOHNSON, S.D. & LINDER, H.P. Systematics and evolution of the *Disa draconis* complex (Orchidaceae). *Botanical Journal of the Linnean Society* 118: 289-307.
92. BARKER, N. P., LINDER, H. P. & HARLEY, E. H. *RbcL* and grass phylogeny. *Systematic Botany* 20: 423-435.
93. LINDER, H.P. *Disa*. In G.V. Pope (ed.), *Flora Zambesiaca vol.11.1*, pp.159-188. Flora Zambesiaca Managing Committee, London.
94. LINDER, H.P. *Brownleea*. In G.V. Pope (ed.), *Flora Zambesiaca vol.11.1*, pp.188-193. Flora Zambesiaca Managing Committee, London.
95. LINDER, H.P. *Herschelianthe*. In G.V. Pope (ed.), *Flora Zambesiaca vol.11.1*, pp.194-197. Flora Zambesiaca Managing Committee, London.
96. LINDER, H.P. *Monadenia*. In G.V. Pope (ed.), *Flora Zambesiaca vol.11.1*, pp.197-199. Flora Zambesiaca Managing Committee, London.

1996

97. LINDER, H. P. & CRISP, M. D. *Nothofagus* is the key to Pacific biogeography. *Cladistics* 11: 5-32.
98. TRINDER-SMITH, T.H., COWLING, R.M. & LINDER, H.P. Profiling a besieged flora: endemic and threatened plants of the Cape Peninsula, South Africa. *Biodiversity and Conservation* 5: 575-589.
99. LINDER, H.P., & VERBOOM, G.A. Generic limits in the *Rytidosperma* (Danthonieae, Poaceae) complex. *Telopea* 6: 597-627.
100. LINDER, H.P. Priorities for taxonomic research on the Cape Flora. *South African Journal of Science* 92: 323-326.
101. LINDER, H.P. & MIDGLEY, J.J. Anemophilous plants select own pollen from the air. *Oecologia* 108: 85-87.
102. LINDER, H. P. & KURZWEIL, H. Ontogeny and phylogeny of *Brownleea* (Orchidoideae: Orchidaceae). *Nordic Journal of Botany* 16: 345-357.

1997

103. LINDER, H.P., VERBOOM, G.A. & BARKER, N.P. Phylogeny and evolution in the *Crinipes* group of grasses (Arundinoideae: Poaceae). *Kew Bulletin* 52: 91-110
104. MUNRO, S. L. & LINDER, H. P. The embryology and systematic relationships of *Prionium serratum* (Juncaceae: Juncales). *American Journal of Botany* 84: 850-860.
105. PAUW, C.A. & LINDER, H.P. Tropical African cedars (*Widdringtonia*, Cupressaceae): systematics, ecology, and conservation status. *Botanical Journal of the Linnean Society* 123: 297-319.
106. KURZWEIL, H., LILTVED, W.R. & LINDER, H.P. *Disa introrsa* sp. nov. (Orchidaceae) from the Western Cape of South Africa, with notes on the phylogeny of *Disa* sect. *Disella*. *Nordic Journal of Botany* 17: 353-360.
107. LINDER, H.P. & DAVIDSE, G. The systematics of *Tribolium* Desv. (Danthonieae: Poaceae). *Botanische Jahrbücher der Systematik* 119: 445-507.
108. LINDER, H.P. Nomenclatural corrections in the *Rytidosperma* complex (Danthonieae, Poaceae). *Telopea* 7: 269-274.

1998

109. VERBOOM, G.A. & LINDER, H.P. A re-evaluation of species limits in *Chaetobromus* (Danthonieae: Poaceae). *Nordic Journal of Botany* 18: 57-77.
110. JOHNSON, S.D., LINDER, H.P., STEINER, K.E. Phylogeny and radiation of pollination systems in *Disa* (Orchidaceae). *American Journal of Botany* 85: 402-411.

111. MUNRO, S.L. & LINDER, H.P. The phylogenetic position of *Prionium* (Juncaceae) within the order Juncales based on morphological and *rbcL* sequence data. *Systematic Botany* 23: 43-55.
112. KLAK, C. & LINDER, H.P. Systematics of *Psilocaulon* N.E.Br. and *Caulipsolon* Klak gen. nov. (Mesembryanthemoideae, Aizoaceae). *Botanische Jahrbücher der Systematik* 120: 301-375.
113. LINDER, H.P. Key innovations and the evolution of wind pollination. In: S. Owens & P.J. Rudall (eds), *Reproductive biology*, p. 123-235. Kew, Royal Botanic Gardens.
114. LINDER, H.P. Historical interpretation of the African phytochoria. In: C.R. Huxley, J.M. Lock and D.F. Cutler (eds.), *Chorology, taxonomy and ecology of the African and Madagascan floras*, pp. Royal Botanical Gardens, Kew.
115. LINDER, H.P., JOHNSON, S.D. & LILTVED, W.R. *Disa virginalis*, (Disease: Orchidoideae: Orchidaceae): a new species from southern Africa. *Novon* 8: 405-407.
116. LINDER, H.P. & MANN, D.M. The phylogeny and biogeography of *Thamnochortus* (Restionaceae). *Botanical Journal of the Linnean Society* 128: 319-357.
117. LINDER, H.P., BRIGGS, B.G. & JOHNSON, L.A.S. Restionaceae. In Kubitzki, K. (ed.), *The families and genera of vascular plants*, pp.425-445. Springer Verlag, Berlin.
118. PRENDINI, L. & LINDER, H.P. Phylogeny of the South African species or restioid leafhoppers, tribe Cephalini (Homoptera: Cicadellidae, Ulopinae). *Entomologica Scandinavica* 29: 11-18.

1999

119. DOUZERY, E. J. P., J. P. PRIDGEON, A. M. PRIDGEON, P. KORES, H. P. LINDER, H. KURZWEIL AND M. W. CHASE. Molecular phylogenetics of Disease (Orchidaceae): a contribution from nuclear ribosomal ITS sequences. *American Journal of Botany* 86: 887-899.
120. CRISP, M.D., WEST, J.G. & LINDER, H.P. Biogeography of the terrestrial flora. *Flora of Australia* (ed. by A. E. Orchard), pp. 321-367. ABR/CSIRO Australia, Melbourne.
121. RUDALL, P.J., STEVENSON, D.W. & LINDER, H.P. Structure and systematics of *Hanguana*, a monocotyledon of uncertain affinity. *Australian Systematic Botany* 12: 311-330.
122. BARKER, N.P., LINDER, H.P. & HARLEY, E.H. Sequences of the grass-specific insert in the chloroplast *rpoC2* gene elucidate generic relationships of the Arundinoideae (Poaceae). *Systematic Botany* 23: 327-350.
123. KURZWEIL, H. & LINDER, H.P. A phylogenetic analysis of the genus *Satyrium* (Orchidaceae). *Beiträge zur Biologie der Pflanzen* 71: 101-181.
124. MILTON, S.J., BOND, W.J., DU PLESSIS, M.A., GIBBS, D., HILTON-TAYLOR, C., LINDER, H.P., RAITT, L., WOOD, J. & DONALDSON, J.S. A protocol for plant conservation by translocation in threatened lowland fynbos. *Conservation Biology* 13: 735-743.
125. LINDER, H.P. *Rytidosperma vickeryae* - a new danthonioid grass from Kosciuszko (New South Wales, Australia): morphology, phylogeny and biogeography. *Australian Systematic Botany* 12: 743-755.
126. LINDER, H.P. *Disa nubigena*. *Fl. Plants Africa* 56: 2148.

2000

127. LINDER, H.P., BRIGGS, B.G. & JOHNSON, L.A.S. † Restionaceae – a morphological phylogeny. *Monocots: systematics and evolution*, pp.653-660. Eds K.L. Wilson and D.A. Morrison. (CSIRO: Melbourne)
128. LINDER, H.P. & BARKER, N.P. Biogeography of the Danthoniaceae. *Grasses: Systematics and Evolution*, pp. 231-238. Eds S.W.L. Jacobs and J. Everett. Melbourne, CSIRO.
129. BELL, T.L., STOCK, W.D. & LINDER, H.P. Ecophysiological investigations of the distribution of Poaceae and Restionaceae in the Cape Floristic Region, South Africa. *Grasses: Systematics and evolution*, pp. 267-278. Eds S.W.L. Jacobs and J. Everett. Melbourne, CSIRO.

130. BARKER, N.P., MORTON, C.M. & LINDER, H.P. The Danthoniae: generic composition and relationships. *Grasses: Systematics and evolution*, pp. 221-230. Eds S.W.L. Jacobs and J. Everett. Melbourne, CSIRO.
131. GPWG, A phylogeny of the grass family (Poaceae), as inferred from eight character sets. *Grasses: Systematics and evolution*, pp. 3-7. Eds S.W.L. Jacobs and J. Everett. Melbourne, CSIRO.
132. LINDER, H.P. Vicariance, climate change, anatomy and phylogeny of the Restionaceae. *Botanical Journal of the Linnean Society* 134: 159-177.
133. RONSE DE CRAENE, L.P., LINDER, H.P. & SMETS, E.F. The questionable relationship of *Montinia* (Caryophyllaceae): evidence from a floral ontogenetic and anatomical study. *American Journal of Botany* 87: 1408-1424.
134. LINDER, H.P. Pollen morphology and wind pollination in Angiosperms. *Pollen and Spores: Morphology and Biology*, pp. 73-88. Eds M.M. Harley, C.M. Morton and S. Blackmore. Kew, Royal Botanic Gardens.

2001

135. MUNRO, S. L., KIRSCHNER, J., LINDER, H.P. Prionaceae. In A.E. Orchard, Eds. *Species Plantarum. Flora of the World*. Canberra, Australian Biological Resources Study.
136. LINDER, H.P. Two new species of *Ceratocaryum* (Restionaceae). *Kew Bulletin* 56: 465-477.
137. LINDER, H.P. Plant diversity and endemism in sub-Saharan Africa. *Journal of Biogeography* 28: 169-182.
138. RICHARDSON, J.E., WEITZ, F.M., FAY, M.F., CRONK, Q.C.B., LINDER, H.P., REEVES, G. & CHASE, M.W. Phylogenetic analysis of *Phyllica* L. (Rhamnaceae) with an emphasis on island species: evidence from plastid trnL-F and nuclear internal transcribed spacer (ribosomal) DNA sequences. *Taxon* 50: 405-427.
139. CRISP, M. D., LAFFAN, S., LINDER, H.P. & MONRO, A. Endemism in the Australian flora. *Journal of Biogeography* 28: 183-198.
140. RICHARDSON, J. E., WEITZ, F. M., FAY, M. F., CRONK, Q. C. B., LINDER, H. P., REEVES, G. AND CHASE, M. W. 2001. Rapid and recent origin of species richness in the Cape Flora of South Africa. *Nature* 412:181-183.
141. LINDER, H.P. and L. CADDICK. Restionaceae seedlings: morphology, anatomy and systematic implications. *Feddes Repertorium* 112: 59-80.
142. GPWG. Phylogeny and subfamilial classification of the grasses (Poaceae). *Annals of the Missouri Botanical Garden* 88:373-457.
143. BELLSTEDT, D.U., LINDER, H.P. and HARLEY, E.H. Phylogenetic relationships in *Disa* based on non-coding TrnL-trnF chloroplast sequences: evidence of numerous repeat regions. *American Journal of Botany* 88:2088-2100.
144. LINDER, H.P. Two new species of *Askidiosperma* (Restionaceae) from South Africa. *Nordic Journal of Botany* 21: 195-199.
145. RONSE DE CRAENE, L. P., LINDER, H. P., AND SMETS, E.F. Floral ontogenetic evidence in support of the *Willdenowia* clade of South African Restionaceae. *Journal of Plant Research* 114: 329-342.
146. LINDER, H.P. On areas of endemism, with an example from the African Restionaceae. *Syst. Biol.* 50: 892-912

2002

147. CADDICK, L.R., AND LINDER, H.P. Evolutionary strategies for reproduction and dispersal in Africa Restionaceae. *Australian Journal of Botany* 50: 339-355.
148. RONSE DE CRAENE, L.P., LINDER, H.P., AND SMETS, E.F. Ontogeny and evolution of the flowers of South African Restionaceae with special emphasis on the gynoeceum. *Plant Systematics and Evolution* 231: 225-258.
149. VERBOOM, G.A., STOCK, W.D. AND LINDER, H.P. Determinants of postfire flowering in the geophytic grass *Ehrharta capensis*. *Functional Ecology* 16: 705-713.

2003

150. BARKER, N.P., LINDER, H.P., MORTON, C.M. AND LYLE, M. The paraphyly of *Cortaderia* (Danthonioideae; Poaceae): evidence from morphology and chloroplast and nuclear DNA sequence data. *Annals of the Missouri Botanical Garden* 90: 1-24.
151. KLAK, C., HEDDERSON, T.A. AND LINDER, H.P. A molecular systematic study of the *Lampranthus* group (Aizoaceae) based on the chloroplast *trnL-trnF* and nuclear ITS and 5S NTS sequence data. *Systematic Botany* 28: 70-85.
152. BOLMGREN, K., ERIKSSON, O., LINDER, H.P. Contrasting flowering phenology and species richness in abiotically and biotically pollinated Angiosperms. *Evolution* 57:2001-2011.
153. VERBOOM, G.A., LINDER, H.P. AND STOCK, W.D. Phylogenetics of the grass genus *Ehrharta* Thunb.: evidence for radiation in the summer-arid zone of the South African Cape. *Evolution* 57:1008-1021.
154. FELLINGHAM, A.C. AND LINDER, H.P. Inflorescences of *Cliffortia* L. (Rosaceae) and related vegetative branching patterns. *Bothalia*, 33, 173-193.
155. JOHNSON, S.D., ALEXANDERSSON, R. AND LINDER, H.P. Experimental and phylogenetic evidence for floral mimicry in a guild of fly-pollinated plants. *Biological Journal of the Linnean Society*, 80, 289-304.
156. LINDER, H.P. The radiation of the Cape flora, southern Africa. *Biological Reviews*, 78, 597-638.
157. LINDER, H.P., ELDENÄS, P. AND BRIGGS, B.G. Contrasting patterns of radiation in African and Australian Restionaceae. *Evolution*, 57, 2688-2702.

2004

158. MUMMENHOFF, K., LINDER, H.P., FRIESEN, N., BOWMAN, J.L., LEE, J-Y AND FRANZKE, A. Molecular evidence for bicontinental hybridogenous genomic constitution in *Lepidium* sensu stricto (Brassicaceae) species from Australia and New Zealand. *American Journal of Botany* 91: 254-261
159. LINDER, H.P. Stilbaceae. In "Families and Genera of Vascular Plants, vol. 7", ed. J.Kadereit, pp. 433-440. Berlin, Springer
160. VERBOOM, G.A., LINDER, H.P., STOCK, W.D. Testing the adaptive nature of radiation: growth form and life history divergence in the African grass genus *Ehrharta* (Poaceae: Ehrhartoideae). *American Journal of Botany*, 91: 1364-1370.
161. KÜPER, W., SOMMER, H., LOVETT, J.C., MUTKE, J., LINDER, H.P., BEENTJE, H.J., ROMPAEY, R.S.A.R., CHATELAIN, C., SOSEF, M., BARTHLOTT, W. Africa's hotspots of biodiversity redefined. *Annals of the Missouri Botanical Garden* 91(4):525-535.
162. LINDER, H.P. & HARDY, C.R. Evolution of the species-rich Cape flora. *Philosophical Transactions of the Royal Society B* 359: 1623-1632.

2005

163. LINDER, H.P., KURZWEIL, H. AND JOHNSON, S.D. The Southern African orchid flora: composition, sources and endemism. *Journal of Biogeography* 32: 29-47
164. HARDY, C.R. AND LINDER, H.P. Reconstructing Ancestral Habitats and Ecologies: Accounting for Intraspecific Variability and Issues of Timing in Ecological Diversification. *Systematic Biology* 54:299-316.
165. LINDER, H.P., LOVETT, J., MUTKE, J.M., BARTHLOTT, W., JÜRGENS, N., REBELO, A.G. AND KÜPER, W. A numerical re-evaluation of the sub-Saharan phytochoria of mainland Africa. *Biologist Skrifter* 55: 229-252.
166. LINDER, H.P., HARDY, C.R. AND RUTSCHMANN, F. Taxon sampling effects in molecular dating: an example from the African Restionaceae. *Molecular Phylogenetics and Evolution* 35:569-582. (top 10 citations for MPE in 2006)
167. LINDER, H.P. Arundineae, *Flora of Australia* 44B: 5-9. Edited K. Mallett. Collingwood, CSIRO Publishing.
168. LINDER, H.P. Danthoneiae, *Flora of Australia* 44B: 19-70. Edited K. Mallett. Collingwood, CSIRO Publishing.
169. VAN DER NIET, T., LINDER, H.P., BYTEBIER, B. AND BELLSTEDT, D.U. Molecular data reject the monophyly of the subgenera of *Satyrium* (Orchidaceae). *Systematic Botany* 30: 263-274.

170. LINDER, H.P. A protocol for documenting the ecology of Cape plants. *South African Journal of Botany* 71:201-210.
171. LINDER, H.P. AND HARDY, C.R. Species richness in the Cape flora: a macroevolutionary and macroecological perspective. *Plant species-level systematics: new perspectives on pattern & process.* (ed. by F. T. Bakker, L. W. Chatrou, B. Gravendeel & P. B. Pelsner), pp. Koeltz, Königstein.
172. MUMMENHOFF, K., AL-SHEHBAZ, I.A., BAKKER, F.T., LINDER, H.P. AND MÜHLHAUSEN, A. Phylogeny, morphological evolution, and speciation of endemic Brassicaceae genera in the Cape flora of Southern Africa. *Annals of the Missouri Botanical Garden* 92:400-424.
173. LINDER, H.P. AND BARKER, N.P. From Nees to now – changing questions in the systematics of the grass subfamily Danthonioideae. *Nova Acta Leopoldina* 92: 29-44.
174. MOLINE, P.H. AND LINDER, H.P. Molecular phylogeny and generic delimitation in the *Elegia* group (Restionaceae, South Africa) based on an almost complete taxon sampling and four chloroplast markers. *Systematic Botany* 30:759-772
175. LINDER, H.P. The evolution of diversity: the Cape flora. *Trends in Plant Science* 10: 537-542
176. LINDER, H.P. AND RUDALL, P.J. Evolutionary history of Poales. *Annual review of ecology, evolution and systematics* 36: 107-124

2006

177. MOLINE, P.H. AND LINDER, H.P. Input data, analytical methods, and biogeography of *Elegia* (Restionaceae) *Journal of Biogeography* 33:47-62.
178. GALLEY, C. AND LINDER, H.P. Geographical affinities of the Cape flora, South Africa. *Journal of Biogeography* 33: 236-250.
179. MUMMENHOFF, K., H. P. LINDER, N. FRIESEN, J. L. BOWMAN, J.-Y. LEE & A. FRANZKE. African species of *Lepidium* (Brassicaceae) contributed via hybridization to the origin of Australian / New Zealand species. In: S. A. Ghanzafar & H. J. Beentje (ed.), *Taxonomy and ecology of African plants, their conservation and sustainable use*: 291-308. Royal Botanic Gardens, Kew.
180. LINDER, H. P. & A. N. HITCHCOCK. *Disa remota*, a remarkable new orchid species from the Western Cape. *South African Journal of Botany* 72: 627-629.
181. VAN DER NIET, T., JOHNSON, S.D. & LINDER, H.P. Macro-evolutionary data suggest a role for reinforcement in pollination system shifts. *Evolution* 60: 1596-1601.
182. THIV, M., THULIN, M., KILIAN, N. & LINDER, H.P. Eritreo-Arabian affinities of the Socotran flora as revealed from the molecular phylogeny of *Aerva* (Amaranthaceae). *Systematic Botany* 31: 560-570
183. GALLEY, C.A. & LINDER, H.P. New species and taxonomic changes within *Pentaschistis* (Danthonioideae, Poaceae) from Western Cape, South Africa. *Bothalia* 36: 157-162.
184. LINDER, H.P. Melianthaceae. In Kubitzki, K. (ed). *The Families and Genera of Vascular Plants, IX. Eudicots*, pp. 250-259. Springer.
185. LINDER, H.P. DLAMINI, T., HENNING, J. & VERBOOM, G.A. The evolutionary history of *Melianthus* (Melianthaceae). *American Journal of Botany* 93: 1052-1064.
186. LINDER, H. P. Investigating the evolution of floras: problems and progress - an introduction. *Diversity and Distributions* 12: 3-5.

2007

187. BYTEBIER, B., BELLSTEDT, D.U. & LINDER, H.P. A molecular phylogeny for the large Cape orchid genus *Disa*. *Molecular Phylogenetics and Evolution* 43: 75-90.
188. BORN, J, LINDER, H.P. & DESMET, P. The Greater Cape Floristic Region. *Journal of Biogeography* 34: 147-162.
189. GALLEY, C., BYTEBIER, B., BELLSTEDT, D.U. & LINDER, H.P. The Cape element in the Afrotropical flora: from Cape to Cairo? *Proceedings of the Royal Society B*. 274: 535-543.
190. BERGH, N.G., HEDDERSON, T.A., LINDER, H.P. & BOND, W.J. Palaeoclimate-induced range shifts may explain current patterns of spatial genetic variation in renosterbos (*Elytropappus rhinocerotis*, Asteraceae). *Taxon* 56: 393-408.

191. DIETSCHI, S., HOLDEREGGER, R. SCHMIDT, S.G. & LINDER, H.P. Agri-environment incentive payments and plant species richness under different management intensities in mountain meadows in Switzerland. *Acta Oecologica* 31: 216 – 222.
192. BARKER, N.P., GALLEY, C., VERBOOM, G.A., MAFA, P., GILBERT, M. & LINDER, H.P. The phylogeny of the austral grass subfamily Danthonioideae: evidence from multiple data sets. *Plant Systematics and Evolution* 264: 135-156.
193. GALLEY, C. & LINDER, H.P. The phylogeny of the *Pentaschistis* clade (Danthonioideae, Poaceae) based on chloroplast DNA, and the evolution and loss of complex characters. *Evolution* 61: 864-884.
194. TRINDER-SMITH, T.H., LINDER, H.P., VAN DER NIET, T., VERBOOM, G.A. & NOWELL, T.L. Plastid DNA sequences reveal generic paraphyly within Diosmeae (Rutoideae, Rutaceae). *Systematic Botany* 32: 847-855.
195. HARDY, C.R. AND LINDER, H.P. Phylogeny and historical ecology of *Rhodocoma* (Restionaceae) from the Cape Floristic Region. *Aliso* 23: 213-226.

2008

196. BYTEBIER, B., VAN DER NIET, T., BELLSTEDT, D.U. & LINDER, H.P. The phylogenetic position of the enigmatic orchid genus *Pachites*. *South African Journal of Botany* 74: 306-312.
197. HARDY, C.R., MOLINE, P., LINDER, H.P. A Phylogeny for the African Restionaceae, and New Perspectives on Morphology's Role in Generating Complete Species Phylogenies for Large Clades. *International Journal of Plant Sciences* 169: 377-390.
198. BELLSTEDT, D.U., VAN ZYL, L., MARAIS, E.M., BYTEBIER, B., DE VILLIERS, C.A., DREYER, L.L., GALLEY, C., PIRIE, M., & LINDER, H.P. A molecular phylogeny reveals evidence of rapid and recent radiation in Cape and Australian members of the genus *Zygophyllum*. *South African Journal of Botany*, **74**, 361-361.
199. LINDER, H.P. Plant species radiations: where, when, why? *Philosophical Transactions of the Royal Society*, **363**, 3097-3105
200. BYTEBIER, B., BELLSTEDT, D.U., LINDER, H.P. A new phylogeny-based sectional classification for the large African orchid genus *Disa*. *Taxon* **57**, 1233-1251
201. VAN DER NIET, T. & LINDER, H.P. Dealing with incongruence in the quest for the species tree: A case study from the orchid genus *Satyrium*. *Molecular Phylogenetics and Evolution* 47 : 154-174.
202. PIRIE, M. D., A. M. HUMPHREYS, C. GALLEY, N. P. BARKER, G. A. VERBOOM, D. ORLOVICH, S. J. DRAFFIN, K. LLOYD, C. M. BAEZA, M. NEGRITTO, E. RUIZ, C. J. H. S., E. REIMER & H. P. LINDER. 2008. A novel supermatrix approach improves resolution of phylogenetic relationships in a comprehensive sample of danthonioid grasses *Molec. Phylogen. Evol.* 48: 1106-1119.

2009

203. CRISP, M.D., ARROYO, M.T.K., COOK, L.G., GANDOLFO, M.A., JORDAN, G.J., MCGLONE, M.S., WESTON, P.H., WESTOBY, M., WILF, P. & LINDER, H.P. (2009) Phylogenetic biome conservatism on a global scale. *Nature*, 458: 754-756.
204. GUIBERT, C., CIVEYREL, L. & LINDER, H.P. (2009) Male and female separation event trapped in a species tree. *Taxon*, **58**, 172-180.
205. LINDER, H.P. (2009) The evolution of wind pollination. *The Embryology of Flowering Plants. Terminology and Concepts. Volume 3. Reproductive Systems* (ed. by T.B. Batygina), pp. 63-72. Science Publishers, Enfield.
206. BERGH, N. G. & H. P. LINDER. Cape diversification and repeated out-of-southern-Africa dispersal in paper daisies (Asteraceae-Gnaphalieae). *Molec. Phylogen. Evol.* 51: 5-18.
207. LINDER, H.P. Trib. Nardeae. In Wilson, A. (Editor), *Flora of Australia*, vol. 44A, Poaceae 2, 10-11. CSIRO Publishing, Melbourne.
208. VERBOOM, G. A., J. K. ARCHIBALD, F. T. BAKKER, D. U. BELLSTEDT, F. CONRAD, L. L. DREYER, F. FOREST, C. GALLEY, P. GOLDBLATT, J. F. HENNING, K. MUMMENHOFF, H. P. LINDER, A. M. MUASYA, K. C. OBERLANDER, V. SAVOLAINEN, D. A. SNIJMAN, T. V. D. NIET & T. L. NOWELL. Origin and diversification of the Greater Cape flora: Ancient species repository, hot-bed of recent radiation, or both? *Molec. Phylogen. Evol.* 51: 44-53.

209. GEHRKE, B., LINDER, H.P., The scramble for Africa: pan-temperate elements on the African high mountains. *Proceeding of the Royal Society B*, 276: 2657-2665.
210. BARKER, N. P., HOWIS, S, NORDENSTAM, B., KÄLLERSJÖ, M., ELDENÄS, P., GRIFFIOEN, C., LINDER, H.P. Nuclear and chloroplast-based DNA phylogenies of *Chrysanthemoides* Tourn. ex Medik. (Calenduleae; Asteraceae) reveal extensive incongruence and generic paraphyly, but support the recognition of infraspecific taxa in *C. monilifera*. *South African Journal of Botany* 75: 560-572.
211. GALLEY, C., LINDER, H.P. & ZIMMERMANN, N.E. *Pentaschistis* species diversity in a mediterranean area: habitat heterogeneity, restricted ranges and climatic stability. *Global Ecology and Biogeography* 18: 586-595.
212. BRIGGS, B.G. & LINDER, H.P. A new subfamilial and tribal classification of Restionaceae (Poales). *Telopea* 3:333-345.
213. HUMPHREYS, A.M. & LINDER, H.P. Concept versus data in delimitation of plant genera. *Taxon* 58: 1054-1074.
214. SOKOLOFF, D.D., REMIZOWA, M.V., LINDER, H.P. & RUDALL, P.J. Morphology and development of the gynoecium in Centrolepidaceae: the most remarkable range of variation in Poales. *American Journal of botany* 96: 1925-1940.
215. PIRIE, M.D., HUMPHREYS, A.M., BARKER, N.P., LINDER, H.P. Reticulation, Data Combination, and Inferring Evolutionary History: an Example from Danthonioideae (Poaceae). *Syst. Biol.* 58: 612-628.

2010

216. PIRIE, M.D., LLOYD, K., LEE, W. & LINDER, H.P. Diversification of *Chionochloa* (Poaceae) and biogeography of the New Zealand Southern Alps. *J. Biogeo.* 37: 379-392.
217. ARAYA, Y.N., SILVERTOWN, J., GOWING, D.J., MCCONWAY, K.J., LINDER, H.P., MIDGLEY, G.F., 2010. A fundamental, eco-hydrological basis for niche segregation in plant communities. *New Phytologist*
218. BYTEBIER, B., ANTONELLI, A., BELLSTEDT, D.U., LINDER, H.P., 2010. Estimating the age of fire in the Cape flora of South Africa from an orchid phylogeny. *Proceedings of the Royal Society B: Biological Sciences* 278: 188-195.
219. HUMPHREYS, A.M., PIRIE, M.D., LINDER, H.P., 2010. A chloroplast tree can bring order to the chaotic generic taxonomy of *Rytidosperma* Steud. s.l. (Poaceae). *Molec. Phylog. Evol.* 55, 911-928.
220. LINDER, H.P., BAEZA P., C.M., BARKER, N.P., GALLEY, C., HUMPHREYS, A.M., LLOYD, K.M., ORLOVICH, D.A., PIRIE, M.D., SIMON, B.K., WALSH, N.G., VERBOOM, G.A., 2010. A generic classification of the Danthonioideae (Poaceae). *Ann. Mo. Bot. Gard.* 97, 306-364.
221. LINDER, H.P., HARDY, C.R., 2010. A generic classification of the Restioneae (Restionaceae), southern Africa. *Bothalia* 40, 1-35.
222. LINDER, H.P., JOHNSON, S.D., KUHLMAN, M., MATTHEE, C.A., NYFFELER, R., SWARTZ, E., 2010. Biotic diversity in the Southern African winter-rainfall region. *Current Opinion in Environmental Sustainability* 2, 109-116.
223. SOKOLOFF, D.D., REMIZOWA, M.V., LINDER, H.P., MACFARLANE, T.D., RUDALL, P.J., 2010. Arrangement of reproductive units in *Centrolepis* (Poales: Centrolepidaceae): cincinnus or spikelet? In: Seberg, O., Petersen, G., Barfod, A.S., Davis, C.C. (Eds.), Diversity, phylogeny, and evolution in the monocotyledons. pp. 425-437.
224. VAN DER NIET, T., ZOLLIKOFER, C.P.E., PONCE DE LEON, M.S., JOHNSON, S.D., LINDER, H.P., 2010. Three-dimensional geometric morphometrics for studying floral shape variation. *Trends Pl. Sci.* 15, 423-426.
225. LINDER, H.P., 2010. Restionaceae. In: Timberlake, J.R., Martins, E.S. (Eds.), *Flora Zambesiaca*. Royal Botanic Gardens, Kew, London, pp. 90-94.
226. LINDER, H.P., 2010. Flagellariaceae. In: Timberlake, J.R., Martins, E.S. (Eds.), *Flora Zambesiaca*. Royal Botanic Gardens, Kew, London, pp. 94-96.

2011

227. LINDER, H. P. 2011. New species and combinations in the African Restionaceae. *South African Journal of Botany* 77, 415-424.
228. WARREN, B., BAKKER, F., BELLSTEDT, D., BYTEBIER, B., CLASZEN-BOCKHOFF, R., DREYER, L., EDWARDS, D., FOREST, F., GALLEY, C., HARDY, C., LINDER, H. P., MUASYA, A. M., MUMMENHOFF, K., OBERLANDER, K., QUINT, M., RICHARDSON, J., SAVOLAINEN, V., SCHRIRE, B., VAN DER NIET, T., VERBOOM, G. A., YESSON, C.,

- HAWKINS, J. Consistent phenological shifts in the making of a biodiversity hotspot: the Cape flora. *Bmc Evolutionary Biology* 11(1):39.
229. THIV, M., VAN DER NIET, T., RUTSCHMANN, F., THULIN, M., BRUNE, T., LINDER, H. P. Old-New World and trans-African disjunctions of *Thamnosma* (Rutaceae): intercontinental long-distance dispersal and local differentiation in the succulent biome. *Amer. J. Bot.* 98(1):76-87.
230. STEINMANN, K., EGGENBERG, S., WOHLGEMUTH, T., LINDER, H.P., & ZIMMERMANN, N.E. Niches and noise—Disentangling habitat diversity and area effect on species diversity. *Ecological Complexity* 8:313-319.
231. PETERSON, P.M., ROMASCHENKO, K., BARKER, N.P. & LINDER, H.P. Centropodieae and *Ellisochloa*, a new tribe and genus in Chloridoideae (Poaceae). *Taxon* 60(4):1113-1122.
232. LINDER, H.P. New species and combinations in the African Restionaceae. *S. African J. Bot.* 77:415-424.
233. LINDER, H.P. Gradual speciation in a global hotspot of plant diversity. *Molecular Ecology* 19:4583-4585.
234. HUMPHREYS, A.M., ANTONELLI, A., PIRIE, M.D., & LINDER, H.P. Ecology and evolution of the diaspore "burial syndrome". *Evolution* 65(4):1163-1180.
235. EMADZADE, K., GEHRKE, B., LINDER, H.P., & HÖRANDL, E. The biogeographical history of the cosmopolitan genus *Ranunculus* L. (Ranunculaceae) in the temperate to meridional zones. *Molec. Phylogen. Evol.* 58(1):4-21.
236. DUPONT, L.M., LINDER, H.P., ROMMERSKIRCHEN, F., & SCHEFUSS, E. Climate-driven rampant speciation of the Cape flora. *J. Biogeogr.* 38(6):1059-1068.
237. ANTONELLI, A., HUMPHREYS, A.M., LEE, W.G., & LINDER, H.P. (2011) Absence of mammals and the evolution of New Zealand grasses. *Proceedings of the Royal Society B: Biological Sciences* 278(1706):695-701.
238. WIRTH, L. R., WASER, N. M., GRAF, R., GUGERLI, F., LANDERGOTT, U., ERHARDT, A., LINDER, H. P. and HOLDEREGGER, R. Effects of floral neighborhood on seed set and degree of outbreeding in a high-alpine cushion plant. *Oecologia* 167: 10205: 427-434.
239. THIEL-EGENTER, C., ALVAREZ, N., HOLDEREGGER, R., TRIBSCH, A., ENGLISCH, T., WOHLGEMUTH, T., COLLI, L., GAUDEUL, M., GIELLY, L., JOGAN, N., LINDER, H. P., NEGRINI, R., NIKLFELD, H., PELLECCIA, M., RIOUX, D., SCHOENSWETTER, P., TABERLET, P., VAN LOO, M., WINKLER, M., GUGERLI, F. and INTRABIODIV, C. Break zones in the distributions of alleles and species in alpine plants. *Journal of Biogeography* 38: 772-782.
240. LINDER, H. P. and CRISP, M. The fate of *Acacia*. *Taxon* 60: 10207: 570-571.
241. GEHRKE, B. and LINDER, H. P. Time, space and ecology: why some clades have more species than others. *Journal of Biogeography* 38: 10206: 1948-1962.

2012

242. Bellstedt, DU, Galley, C, Pirie, MD, Linder, HP. 2012. The Migration of the Palaeotropical Arid Flora: Zygophylloideae as an Example. *Systematic Botany* 37: 951-959.
243. Carlson, SE, Linder, HP, Donoghue, MJ. 2012. The historical biogeography of *Scabiosa* (Dipsacaceae): implications for Old World plant disjunctions. *Journal of Biogeography* 39: 1086-1100.
244. Huber, M, Linder, HP. 2012. The evolutionary loss of aerenchyma limits both realized and fundamental ecohydrological niches in the Cape reeds (Restionaceae). *Journal of Ecology* 100: 1338-1348.
245. Linder, HP, Bykova, O, Dyke, J, Etienne, RS, Hickler, T, Kühn, I, Marion, G, Ohlemüller, R, Schymanski, SJ, Singer, A. 2012. Biotic modifiers, environmental modulation and species distribution models. *Journal of Biogeography* 39: 2179-2190.
246. Linder, HP, de Klerk, HM, Born, J, Burgess, ND, Fjeldså, J, Rahbek, C. 2012. The partitioning of Africa: statistically defined biogeographical regions in sub-Saharan Africa. *Journal of Biogeography* 39: 1189-1205.
247. Nyman, T, Linder, HP, Pena, C, Malm, T, Wahlberg, N. 2012. Climate-driven diversity dynamics in plants and plant-feeding insects. *Ecology Letters* 14.
248. Pirie, MD, Humphreys, AM, Antonelli, A, Galley, C, Linder, HP. 2012. Model uncertainty in ancestral area reconstruction: a parsimonious solution? *Taxon* 61: 652-664.
249. Schnitzler, J, Graham, CH, Dormann, CF, Schiffers, K, Peter Linder, H. 2012. Climatic niche evolution and species diversification in the Cape flora, South Africa. *Journal of Biogeography* 39: 2201-2211.

250. Schurr, FM, Pagel, J, Cabral, JS, Groeneveld, J, Bykova, O, O'Hara, RB, Hartig, F, Kissling, WD, Linder, HP, Midgley, GF, Schröder, B, Singer, A, Zimmermann, NE. 2012. How to understand species' niches and range dynamics: a demographic research agenda for biogeography. *Journal of Biogeography* 39: 2146-2162.
251. Silvertown, J, Araya, YN, Linder, HP, Gowing, DJ. 2012. Experimental investigation of the origin of fynbos plant community structure after fire

2013

252. Marhold, K, Stuessy, T, Agababian, M, Agosti, D, Alford, MH, Crespo, A, Crisci, JV, Dorr, LJ, Ferencov, Zuzana, Frodin, D, Geltman, DV, Kilian, N, Linder, HP, Lohmann, LG, Oberprieler, C, Penev, L, Smith, GF, Thomas, W, Tulig, M, Turland, N, Zhang, X-C. 2013. The Future of Botanical Monography: Report from an international workshop, 1216 March 2012, Smolenice, Slovak Republic. *Taxon* 62: 4-20.
253. Peter Linder, H, Antonelli, A, Humphreys, AM, Pirie, MD, Wüest, RO. 2013. What determines biogeographical ranges? Historical wanderings and ecological constraints in the danthonioid grasses. *Journal of Biogeography* 40: 821-834.
254. Linder, H.P. (2013) Restionaceae. *Plants of the Greater Cape Floristic Region. 1: the core Cape Flora* (ed. by J. Manning and P. Goldblatt), pp. 227-251. South African National Biodiversity Institute, Pretoria.
255. Linder, H.P. & Snijman, D.A. (2013) Restionaceae. *Plants of the Greater Cape Floristic Region, Vol. 2: the Extra Cape Flora* (ed. by D.A. Snijman), pp. 154-156. South African National Biodiversity Institute, Pretoria.
256. Manning, J., Goldblatt, P. & Linder, H.P. (2013) Poaceae. *Plants of the Greater Cape Floristic Region. 1. the core Cape Flora* (ed. by J. Manning and P. Goldblatt), pp. 198-226. South African National Biodiversity Institute, Pretoria.

2014

257. Bouchenak-Khelladi Y, Muthama AM, Linder HP. 2014. A revised evolutionary history of Poales: origins and diversification. *Botanical Journal of the Linnean Society* 175: 4-16
258. Ellis AG, Verboom GA, Van der Niet T, Johnson SD, Linder HP. 2014. Speciation and extinction in the Greater Cape Floristic Region. In *Fynbos. Ecology, Evolution, and Conservation of a megadiverse Region*, ed. N Allsopp, GA Verboom, J Colville, pp. 119-41. Oxford: Oxford University Press
259. Gehrke B, Linder HP. 2014. Species richness, endemism and species composition in the tropical Afroalpine flora. *Alpine Botany* 124: 165-77
260. Linder HP. 2014. The evolution of African plant diversity. *Frontiers in Ecology and Evolution* 2
261. Linder HP, Barker NP. 2014. Does polyploidy facilitate long-distance dispersal? *Annals of Botany* 113: 1175-83
262. Linder HP, Perl F, Bouchenak-Khelladi Y, Barker NP. 2014. Phylogeographical Pattern in the Southern African Grass *Tenaxia disticha* (Poaceae). *Systematic Botany* 39: 428-40
263. Linder HP, Rabosky DL, Antonelli A, Wüest RO, Ohlemüller R. 2014. Disentangling the influence of climatic and geological changes on species radiations. *Journal of Biogeography* 41: 1313-25
264. Litsios G, Wüest RO, Kostikova A, Forest F, Lexer C, et al. 2014. EFFECTS OF A FIRE RESPONSE TRAIT ON DIVERSIFICATION IN REPLICATED RADIATIONS. *Evolution* 68: 453-65
265. Onstein RE, Carter RJ, Xing Y, Linder HP. 2014. Diversification rate shifts in the Cape Floristic Region: The right traits in the right place at the right time. *Perspectives in Plant Ecology, Evolution and Systematics* 16: 331-40
266. Pio DV, Engler R, Linder HP, Monadjem A, Cotterill FPD, et al. 2014. Climate change effects on animal and plant phylogenetic diversity in southern Africa. *Global Change Biology* 20: 1538-49
267. Schwery O, Onstein RE, Bouchenak-Khelladi Y, Xing Y, Carter RJ, Linder HP. 2014. As old as the mountains: the radiations of the Ericaceae. *New Phytologist*
268. Slingsby JA, Ackerly DD, Latimer AM, Linder HP, Pauw A. 2014. The assembly and function of Cape plant communities in a changing world. In *Fynbos: Ecology, Evolution, and Conservation of a Megadiverse Region*, ed. N Allsopp, JF Colwell, GA Verboom, pp. 200-23. Oxford: Oxford University Press
269. Verboom GA, Linder HP, Forest F, Hoffmann V, Bergh NG, Cowling RM. 2014. Cenozoic assembly of the Greater Cape flora. In *Fynbos: Ecology, Evolution, and Conservation of a Megadiverse Region*, ed. N allsopp, J Colville, GA Verboom, pp. 93-114. Oxford: Oxford University Press
270. Wepfer PH, Linder HP. 2014. The taxonomy of *Flagellaria* (Flagellariaceae). *Australian Systematic Botany* 27: 159-79

271. Xing Y, Onstein RE, Carter RJ, Stadler T, Peter Linder H. 2014. FOSSILS AND A LARGE MOLECULAR PHYLOGENY SHOW THAT THE EVOLUTION OF SPECIES RICHNESS, GENERIC DIVERSITY, AND TURNOVER RATES ARE DISCONNECTED. *Evolution*: n/a-n/a

2015

272. **Bouchenak-Khelladi, Y, Onstein, RE, Xing, Y, Schwery, O, Linder, HP. 2015.** On the complexity of triggering evolutionary radiations. *New Phytologist* **207**: 313-326.
273. **Bradshaw, PL, Colville, JF, Linder, HP. 2015.** Optimising Regionalisation Techniques: Identifying Centres of Endemism in the Extraordinarily Endemic-Rich Cape Floristic Region. *Plos One* **10**: e0132538.
274. **Hughes, CE, Nyffeler, R, Linder, HP. 2015.** Evolutionary plant radiations: where, when, why and how? *New Phytologist* **207**: 249-253.
275. **Kondraskov, P, Schütz, N, Schüßler, C, de Sequeira, MM, Guerra, AS, Caujapé-Castells, J, Jaén-Molina, R, Marrero-Rodríguez, Á, Koch, MA, Linder, P, Kovar-Eder, J, Thiv, M. 2015.** Biogeography of Mediterranean Hotspot Biodiversity: Re-Evaluating the 'Tertiary Relict' Hypothesis of Macaronesian Laurel Forests. *Plos One* **10**: e0132091.
276. **Linder, HP, Bouchenak-Khelladi, Y. 2015.** The causes of southern African spatial patterns in species richness: speciation, extinction and dispersal in the Danthonioideae (Poaceae). *Journal of Biogeography* **42**: 914-924.
277. **Linder, HP, Helme, NA. 2015.** *Elegia namaquense* (Restionaceae), a new species from the Namaqualand coastal plain, Northern Cape, South Africa. *South African Journal of Botany* **99**: 17-20.
278. **Linder, HP, Verboom, GA. 2015.** The Evolution of Regional Species Richness: The History of the Southern African Flora. *Annual Review of Ecology, Evolution, and Systematics* **46**: 393-412.
279. **Naciri, Y, Linder, HP. 2015.** Species delimitation and relationships: The dance of the seven veils. *Taxon* **64**: 3-16.
280. **Norup, MF, Petersen, G, Burrows, S, Bouchenak-Khelladi, Y, Leebens-Mack, J, Pires, JC, Linder, HP, Seberg, O. 2015.** Evolution of *Asparagus* L. (Asparagaceae): Out-of-South-Africa and multiple origins of sexual dimorphism. *Molecular Phylogenetics and Evolution* **92**: 25-44.
281. **Onstein, RE, Carter, RJ, Xing, Y, Richardson, JE, Linder, HP. 2015.** Do Mediterranean-type ecosystems have a common history?—Insights from the Buckthorn family (Rhamnaceae). *Evolution* **69**: 756-771.
282. **Richner, N, Holderegger, R, Linder, HP, Walter, T. 2015.** Reviewing change in the arable flora of Europe: a meta-analysis. *Weed Research* **55**: 1-13.
283. **Schwery, O, Onstein, RE, Bouchenak-Khelladi, Y, Xing, Y, Carter, RJ, Linder, HP. 2015.** As old as the mountains: the radiations of the Ericaceae. *New Phytol* **207**: 355-367
284. **Wüest, RO, Antonelli, A, Zimmermann, NE, Linder, HP. 2015.** Available climate regimes drive niche diversification during range expansion. *The American Naturalist* **185**: 640-652.
285. **Xing, Y, Gandolfo, MA, Linder, HP. 2015.** The Cenozoic biogeographical evolution of woody angiosperms inferred from fossil distributions. *Global Ecology and Biogeography* **24**: 1290-1301 .

2016

286. **Oberlander, KC, Dreyer, LL, Goldblatt, P, Suda, J, Linder, HP. 2016.** Species-rich and polyploid-poor: Insights into the evolutionary role of whole-genome duplication from the Cape flora biodiversity hotspot. *American Journal of Botany* **103**: 1336-1347.
287. **Onstein, RE, Jordan, GJ, Sauquet, H, Weston, PH, Bouchenak-Khelladi, Y, Carpenter, RJ, Linder, HP. 2016.** Evolutionary radiations of Proteaceae are triggered by the interaction between traits and climates in open habitats. *Global Ecology and Biogeography* **25**: 1239-1251.
288. **Onstein, RE, Linder, HP. 2016.** Beyond climate: convergence in fast evolving sclerophylls in Cape and Australian Rhamnaceae predates the mediterranean climate. *Journal of Ecology* **104**: 665-677.
289. **Vorontsova, MS, Besnard, G, Forest, F, Malakasi, P, Moat, J, Clayton, WD, Ficinski, P, Savva, GM, Nanjarisoa, OP, Razanatsoa, J, Randriatsara, FO, Kimeu, JM, Luke, WRQ, Kayombo, C, Linder, HP. 2016.** Madagascar's grasses and grasslands: anthropogenic or natural? *Proceedings of the Royal Society of London B: Biological Sciences* **283**.
290. **Wüest, RO, Litsios, G, Forest, F, Lexer, C, Linder, HP, Salamin, N, Zimmermann, NE, Pearman, PB. 2016.** Resprouter fraction in Cape Restionaceae assemblages varies with climate and soil type. *Functional Ecology* **30**: 1583-1592

2017

291. Xing, YW, Gandolfo, MA, Onstein, RE, Cantrill, DJ, Jacobs, BF, Jordan, GJ, Lee, DE, Popova, S, Srivastava, R, Su, T, Vikulin, SV, Yabe, A, Linder, HP. 2016. Testing the biases in the rich Cenozoic angiosperm macrofossil record. *International Journal of Plant Sciences* 177: 371-388.
292. Clark, VR, Timberlake, JR, Hyde, MA, Mapaura, A, Coates Palgrave, M, Wursten, BT, Ballings, P, Burrows, JE, Linder, HP, McGregor, GK, Chapano, C, Plowes, DCH, Childes, SL, Dondeyne, S, Müller, T, Barker, NP. 2017. A first comprehensive account of floristic diversity and endemism on the Nyanga massif, Manica highlands (Zimbabwe-Mozambique). *Kirkia* 19: 1-53.
293. Karger, DN, Conrad, O, Böhner, J, Kawohl, T, Kreft, H, Soria-Auza, R, Zimmermann, NE, Linder, HP, Kessler, M. 2017. Climatologies at high resolution for the earth's land surface areas. *Scientific Data* 4: 170122.
294. Linder, HP, Suda, J, Weiss-Schneeweiss, H, Trávníček, P, Bouchenak-Khelladi, Y. 2017. Patterns, causes and consequences of genome size variation in Restionaceae of the Cape flora. *Botanical Journal of the Linnean Society* 183: 515-531.
295. Richner, N, Holderegger, R, Linder, HP, Walter, T. 2017. Dramatic decline in the Swiss arable flora since the 1920s. *Agriculture, Ecosystems & Environment* 241: 179-192.
296. Richner, N, Walter, T, Peter Linder, H, Holderegger, R. 2017. Arable weed seed bank of grassland on former arable fields in mountain regions. *Folia Geobotanica*.
297. Testoni, D, Linder, HP. 2017. Synoptic taxonomy of *Cortaderia* Stapf (Danthonioideae, Poaceae). *PhytoKeys* 76: 39-69
298. Bouchenak-Khelladi, Y, Linder, HP. 2017. Frequent and parallel habitat transitions as driver 77-03.
299. Linder, HP, Lehmann, CER, Archibald, S, Osborne, CP, Richardson, DM. in press. Global grass (Poaceae) success underpinned by traits facilitating colonization, persistence and habitat transformation. *Biological Reviews of the Cambridge Philosophical Society*.
300. Linder, HP. in press. East African Cenozoic vegetation history. *Evolutionary Anthropology*.
301. Linder, HP, Bouchenak-Khelladi, 2017. Adaptive radiations should not be simplified: the case of the danthonioid grasses. *Molecular Phylogenetics and Evolution* 117: 179-190.

2018

302. Nuerk, N., Michling, F., Linder, HP. 2017. Are radiations of temperate lineages in tropical alpine ecosystems pre-adapted? *Global Ecology and Biogeography* 27:334-345.
303. Antonelli, A., Kissling, W.D., Flantua, S.G.A., Bermúde, M.A., Mulch, A., Muellner-Riehl, A.N., Kreft, H., Linder, H.P., Badgley, C., Fjeldså, J., Fritz, S.A., Rahbek, C., Herman, Hooghiemstra, F.H., Hoorn, C. 2018. Geological and climatic influences on mountain biodiversity. *Nature Geoscience* 11: 718-725.
304. Born, J., Linder, H.P. 2018. Water availability, fundamental niches and realized niches: A case study from the Cape flora. *Austral Ecology* 43: 696-705.
305. Hochbach, A., Linder, H.P., Röser, M. 2018. Nuclear genes, *matK* and the phylogeny of the Poales. *Taxon* 67: 521-536.
306. Linder, H.P. 2018. The surprising anatomical diversity in the roots of African Restionaceae. *Perspectives in Plant Ecology, Evolution and Systematics* 34: 77-93.
307. Linder, H.P., Lehmann, C.E.R., Archibald, S., Osborne, C.P. Richardson, D.M. 2018. Global grass (Poaceae) success underpinned by traits facilitating colonization, persistence and habitat transformation. *Biological Reviews* 93: 1125-1144.
308. Noroozi, J., Talebi, A., Doostmohammadi, M., Rumpf, S.B., Linder, H.P., Schneeweiss, G.M. 2018. Hotspots within a global biodiversity hotspot - areas of endemism are associated with high mountain ranges. *Scientific Reports* 8:10345.

2019

309. Ehmig, M., Coiro, M., Linder, H.P. 2019. Ecophysiological strategy switch through development in heteroblastic species of mediterranean ecosystems – an example in the African Restionaceae. *Annals of Botany*
310. Ralph, V.F., Vidal, J.d.D., Grundy, I.M., Fakarayi, T., Childes, S.L., Barker, N.P., Linder, H.P. 2019. Bridging the divide between intuitive social-ecological value and sustainability in the Manica Highlands of southern Africa (Zimbabwe-Mozambique). *Ecosystem Services* 39: 100999.
311. Linder, H.P. 2019. Rare species, Restionaceae, and the Cape Flora. *Journal of Biogeography* 46: 2637-2650.

312. Wuest, R.O., Boucher, F.C., Bouchenak-Khelladi, Y., Karger, D.N., Linder, H.P. 2019. Dissecting biodiversity in a global hotspot: Uneven dynamics of immigration and diversification within the Cape Floristic Region of South Africa 46: 1936-1947.

2020

313. Naciri, Y., Linder, H.P. 2020. The genetics of evolutionary radiations. *Biological Reviews* 95: 1055-1072.
314. Camara-Leret, R. . . . Linder, H.P. . . . 2020. New Guinea has the worlds richest island flora. *Nature* 584: 579-583.
315. Nürk, N.M., Linder, H.P., Onstein, R.E., Larcombe, M.J., Hughes, C.E., Pineiro-Fernandez, L., Schlüter, P.M., Diversification in evolutionary arenas— Assessment and synthesis. *Ecology and Evolution* 10: 6163-6182.
316. Ehmig, M., Linder, H.P. 2020. Unexpected diversity and evolutionary lability in root architectural ecomorphs in the rushes of the hyperdiverse Cape flora. *New Phytologist* 227: 216-231.
317. Linder, H.P. 2020. The evolution of flowering phenology: an example from the wind-pollinated African Restionaceae. *Annals of Botany* 126: 1141-1153.
318. Karger, D.N., Wüest, R.O., König, C., Cabral, J.S., Weigelt, P., Zimmermann, N.E., Linder, H.P. 2020. Disentangling the drivers of local species richness using probabilistic species pools. *Journal of Biogeography* 47: 879-889.

Books

- STEWART, J., LINDER, H.P., SCHELPE, E.A. & HALL, A.V. 1982. *Wild Orchids of Southern Africa*. Macmillan, Cape Town.
- LINDER, H.P. & KURZWEIL, H. 1999. *The orchids of Southern Africa*. Balkema, Rotterdam.
- DORRAT HAAKSMA, E. & LINDER, H.P. 2000. *Restios of the Fynbos*. Cape Town: Botanical Society of South Africa.
- LINDER, H.P. 2001. *The African Restionaceae*. And interactive identification system to the African Restionaceae, on CD. Contributions from the Bolus Herbarium 20.
- DORRAT HAAKSMA, E. & LINDER, H.P. 2013. *Restios of the Fynbos*. Cape Town: Struik Nature.